



BRANDON SCHOOL DIVISION

TENDER FORM

DOORS and WINDOWS – SUPPLY & INSTALL

SCHEDULE A:

Standard Specifications: DOORS

- ThermaPointe 7700 or equivalent
- Aluminum construction
- 5mm minimum glazing
- Temperature Index – 50
 Designed for use in zone 3
- Framing – thermally broken
- R10 minimum
- Doors must match existing framing thickness, contractor verified
- Doors must be energy star rated and have an NRCan reference number
 - must be commercial in quality and construction
 - Include all trims and finishing
- Approved equivalents will be considered
- Glazing must be tinted to match existing, tint on outside clear to inside
- Frames on exterior doors must be insulated
- Exterior doors at handicap thresholds shall be sized to suit the threshold height
- All exterior doors shall have at least one fully accessible opening



BRANDON SCHOOL DIVISION

TENDER FORM

DOORS and WINDOWS – SUPPLY & INSTALL

Standard Specifications: WINDOWS

- Aluminum or Fiberglass Frame
- energy star rated and have NRCan reference number
- must be commercial in quality and construction
- Slider Openings as required and identified during site visit
- Window tint must match existing
- Include all trims and finishing
- Temperature Index – 50
- 5mm glazing minimum
- Frames must be insulated
- Performance testing to CSA A440.2
 - Energy rating: pp to +6
 - U values: down to 0.19
- Performance tested to CAN/CSA A440
 - Air leakage: A3
 - Water Leakage: B4
 - Wind Load: C5
 - Forced entry test: passed

For further information please contact Terence Despiegelaere, Director of Facilities and Transportation, 204-729-3977.